AMIN, & TUROCY LLP.

2004 1-22-04 E. Hall

PATENT

01SW100

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence (along with any paper referred to as being attached or enclosed) is being faxed to 703-872-9306 on the date shown below to Mail Stop Non-Fee Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Date: 12-18-03

Himanshu S. Amin

RECEIVED CENTRAL FAX CENTER

OFFICIAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

Applicant(s): Jeffrey A. McKelvey et al.

Examiner: Ramesh B. Patel

Serial No: 09/92

09/928,623

Art Unit: 2121

Filing Date:

August 13, 2001

Title:

INDUSTRIAL CONTROLLER AUTOMATION INTERFACE

Mail Stop Non-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

REPLY TO OFFICE ACTION DATED OCTOBER 1, 2003

Dear Sir:

Favorable reconsideration of the above-identified patent application is respectfully requested in view of the amendments and comments below.

2001

RECEIVED CENTRAL FAX CENTER

JAN 1 4 2004

OFFICIAL

LAW OFFICES

AMIN & TUROCY, LLP

24TH FLOOR, NATIONAL CITY CENTER 1900 EAST NINTH STREET CLEVELAND, OHIO 44114 TELEPHONE: 216-696-8730

TELEPHONE: 216-696-8730 FACSIMILE: 216-696-8731

FACSIMILE TRANSMISSION

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS LISTED BELOW VIA UNITED STATES MAIL. THANK YOU.

Date:

January 14, 2004

TO:

Examiner Hall

FAX NO.:

703-872-9306

FROM:

Kelly M. Jenkins

Re:

01SW100 / ALBRP224US

NUMBER OF PAGES TO FOLLOW: 12

Per Examiner Halls instructions we are resubmitting reply due to page 6 missing from original faxed reply submitted on December 18, 2003.